

GaN Microwave Amplifier RIK05M15-40T



Product Features

- 498.593 ~ 500.593MHz
- High Output Power : 150kW(CW)
- Using GaN on SiC HEMT
- 53% System Efficiency
- High Reliability & Stability, Long-run Operation
- Stable frequency spectrum even at low power

Applications

- Building block for high-power systems
- Accelerator Light Source
- Industrial Heating and Drying
- Microwave CVD
- Materials processing
- Study of biological phenomena
- Food sterilization / pasteurization



Description

The RIK05M15-40T is a high-power microwave generator (SSPA) utilizing cutting-edge GaN on SiC HEMT technology, delivering high breakdown voltage and exceptional power efficiency. This product is engineered to meet the stringent and precise requirements of modern particle accelerators and synchrotron light sources.

Electrical Specifications

PARAMETER		UNIT	MIN	TYP	MAX
Operating Frequency		MHz	498.593	-	500.593
Operating Bandwidth		MHz	-	2	-
CW Output Power		W	150	-	150000
System Efficiency		%	53	-	-
Input Power		dBm	-3	-	3
In/Out Return Loss		dB	-	-	-15
Operating Case Temperature		°C	-	-	60
RF Input		-	N-type		
Waveguide Output		-	WR1800		
Operating Voltage		VAC	380 VAC 3 phase 4wire 50/60 Hz		
Monitoring	FWD & RVS Power	System Output and Reflect Power from 10 to 100%			
	Temperature	Individual Power Amplifier			
	Current	+50Vdc Output of Power Supply Unit			
Maximum mismatch for full power output		6 : 1 VSWR 30sec.			
Control Interface		EPICS, Ethernet			

GaN Microwave Amplifier RIK05M15-40T



Mechanical Specifications

PARAMETER	UNIT	VALUE
Dimensions (W x D x H)	mm	3300 x 1500 x 2800
Weight	Kg	2200
Cooling Type	-	Water / Air
Water Cooling Condition	-	25±1°C, <10bar, >300L/min

Note

Dimension and weight may be subject to change.



GaN Microwave Amplifier RIK05M15-40T



Revision History

Part Number	Release Date	Version	Description	Data Sheet Status
RIK05M15-40T	May, 2026	0.1	Initial release of datasheet	



Certification

This product is manufactured by a company that is certified for the AS9100D quality management system.

RFHIC Corporation reserves the right to make changes to any products herein or to discontinue any product at any time without notice. While product specifications have been thoroughly examined for reliability, RFHIC Corporation strongly recommends buyers to verify that the information they are using is accurate before ordering. RFHIC Corporation does not assume any liability for the suitability of its products for any particular purpose, and disclaims any and all liability, including without limitation consequential or incidental damages. RFHIC products are not intended for use in life support equipment or application where malfunction of the product can be expected to result in personal injury or death. Buyer uses or sells such products for any such unintended or unauthorized application, buyer shall indemnify, protect, and hold RFHIC Corporation and its directors, officers, stockholders, employees, representatives and distributors harmless against any and all claims arising out of such unauthorized use. All sales inquiries and support should be directed to the local authorized geographic distributor for RFHIC Corporation. For customers in the US, please contact the US sales team through our website at <https://rfhic.com/rfhic-us/>. For all other inquiries, please contact our international sales team through our website portal at <https://rfhic.com/contact/>